



SET UP INSTRUCTION for 4312F3

1) Prepare a suitable location for your new fountain, with a firm and level surface. Always follow local electrical codes. Make sure to connect to a safe GFCI circuit.

2) With plenty of help, place the heavy #6312 basin unit on its finished location.

3) Set the pump and the light in the basin. The light should be close to the front of the basin and the pump near the center. Push the power cords for both the pump and light through the basin's back hole and pull excess cord lengths out the back toward your power supply. Place the rubber stopper around the cords and press the stopper in place firmly in the back hole to make the basin water-tight.


4) Carefully set the heavy #4312 wall unit into and against the back of the basin.

5) Thread the two barbed adapters into the couplings under the wall unit as shown. Attach one end of each tube to these barbed adapters.

6) Thread the tee into the top of the pump. Then attach the open ends of the tubes to the tee bars. Set the 4312C pump cover in front of the pump area to hide the pump and tube connection.

7) Push the two foam pads into the top spill trough, over the water holes. These pads will help smooth the water flow.

8) Fill the basin with water. Read your pump and light instructions. Then, connect the light power cord to the transformer provided and plug in the transformer and pump to enjoy your fountain.



(If the pump does not immediately begin working, there may be an “airlock” within the impeller chamber. Simply unplug and plug in a few times and it should start.)

4/2019

IMPORTANT – WINTER CARE

Winter ice build-up can cause damage to concrete statuary. Follow these tips to reduce winter weathering to your fountain:

- * Disconnect power to pumps and lights.
- * Remove plugs / stoppers in all fountain bowls to open drains and let all moisture out. Keep drains open throughout winter.
- * Place an absorbant material like burlap, blankets, etc. inside vases/bowls and cover all with a Henri fountain cover.
- * Do not allow snow or ice to build up on or against the concrete. Remove snow before it turns to ice. Do not use salt or chemical ice removers as these may damage concrete.